


Wayne
Dalton[®]
GARAGE DOORS

M O D E L S

8300/8500

CLASSIC STEEL



Model 8300, Sonoma Ranch panel, White finish, Stockbridge IV windows, Decorative hardware

classic. stylish. efficient.

Made with two layers of steel and polyurethane foam insulation, Models 8300 and 8500 are extremely durable.

Not only that, they are offered in five designs with durable factory-finished colors or an optional bi-directional wood-grain finish that emulates the beauty of real wood.



Sonoma panel, Almond finish, Stockton III windows

PERFORMANCE FEATURES



Insulation

Models 8300 and 8500 come with foamed-in-place polyurethane insulation with an R-value* of 12.12 for Model 8300 and R-value of 16.22 for Model 8500. Insulation can improve your home's thermal efficiency, reduce street noise, and make the door operate more quietly.

Effective Joint Seals

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.



Heavy Gauge Steel End Caps

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.

High Cycle Spring Option

Choose a 25,000 cycle spring for almost twice the life of a standard torsion spring.

Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.



Available with optional hardware and reinforcement for high-wind regions.



Warranty

Models 8300 and 8500 offer a Limited Lifetime Warranty on the steel skin. See full text of warranty for details.

*Wayne Dalton uses a calculated door section R-value for our insulated doors.


8300/8500 Model Comparison

	MODEL 8300	MODEL 8500
Door construction	3-layer construction: steel/insulation/steel	3-layer construction: steel/insulation/steel 2" thick steel panels
Polyurethane insulation*	Yes	Yes
Insulation R-value**	R-12.12	R-16.22 Highest of all models
Tongue-and-groove section joints to seal out weather	Yes	Yes
Warranty	Limited Lifetime	Limited Lifetime


*Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


1 Choose Your Style




Colonial




Ranch



Sonoma



Sonoma Ranch
(Model 8300 only)



Contemporary

2 Choose Your Color

Paint Finishes



White
(standard)



Almond



Taupe



Terra Bronze



Brown



Black

Wood-Grain Finishes

Available on Models 8300 and 8500
Sonoma and Model 8300 Sonoma
Ranch only



Golden Oak



Walnut



Mission Oak



Available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

3 Choose Your Windows

For Colonial and Contemporary Panels



Clear I



Cathedral I



Stockbridge*



Williamsburg I



Clear III*



Stockton I



Prairie I



Sherwood I



Cascade I



Stockton III*



Waterton I



Cascade III*



Arched Stockton*



Waterton III*

Décor™ windows



Majestic Brass



Reflections Brass



Majestic Leaded



Reflections Leaded

For Ranch Panels



Clear II



Sherwood II**



Williamsburg II**



Cascade II



Stockbridge II



Williamsburg II Single Arch



Cathedral II



Stockton II



Prairie II



Waterton II

Décor™ windows



Majestic Brass II



Reflections Brass II



Majestic Leaded II



Reflections Leaded II

*Contemporary Panel only.

**Available only on doors with an even number of panels.



Sonoma Ranch panel, Mission Oak finish, Clear IV windows, Decorative hardware

For Sonoma Ranch Panels (Model 8300 only)



Ashton IV



Cascade IV



Cathedral IV



Arched Stockton IV**



Clear IV



Ruston IV



Sherwood IV



Stockbridge IV (3-Lite)



Stockbridge IV (4-Lite)



Stockford IV



Stockton IV (4-Lite)



Stockton IV (6-Lite)



Stockton IV (8-Lite)



Stockton IV (8-Lite Arched)



Stockton IV (12-Lite)



Waterton IV



Williamsburg IV



Wyndbridge IV**



Williamsburg IV Double Car

For Sonoma Panels



Cascade I



Cascade III



Cathedral I



Clear I



Clear III



Stockbridge



Stockton I



Stockton III



Arched Stockton



Waterton I



Waterton III

Choice of single or double arch is available for arched top double car windows.



Arched Stockton Single



Arched Stockton Double

Not all windows available in all areas. Windows shown are typical of an 8' wide door and placement may vary by panel design. Consult your dealer for details.



Glass Options



Clear*



Gray Tinted



Green Tinted



Bronze Tinted



Satin Etched Privacy*



Obscure*


*Insulated glass available.

Optional Window Placement


Vertical window option



Double row window option



All window option**



Clear style windows may be arranged vertically or horizontally on Colonial, Ranch and Contemporary designs. Windows placed in the bottom section of a door must use DSB 1/8", or tempered, or 1/2" insulated glass.

**Ordered as Model 5150 Flush doors. Clear I and Clear III windows available.

4 Choose Your Hardware



Aspen



Fleur-de-Lis



Spear

For our full decorative hardware offering, visit our website at wayne-dalton.com.



Ranch panel, White finish, Clear II windows



Model 8300, Contemporary panel, Black finish, All Window option with Clear Ill windows

AFTER

BEFORE



Contemporary panel, Black finish, Clear III Vertical windows



Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com**, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.

Wayne Dalton
GARAGE DOORS

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



© 2019 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item 352062 03/19